

TRIZCHLOR FLUSH- chlorhexidine gluconate solution
Dechra Veterinary Products

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

TrizChlor® Flush

For support of healthy skin for animals with conditions responsive to chlorhexidine.

Active Ingredients: 0.15% Chlorhexidine Gluconate, USP

Also Contains: Water; TrizEDTA® (Tromethamine, USP; Disodium EDTA, USP)

Directions for Use: SHAKE WELL BEFORE EACH USE. For use as an ear flush: apply to the ear canal and gently, but firmly, massage the base of the ear. For use on skin: squeeze flush over affected area. Use a cotton ball to remove excess solution.

Repeat as necessary or as directed by your veterinarian. Close cap tightly.

Caution: For topical use only. Avoid contact with eyes. If skin irritation develops or increases, stop use and call your veterinarian. Keep out of the reach of children and pets.

Human Warning: Wash hands after use. Rare but serious allergic reactions have been reported with exposure to chlorhexidine gluconate.

Store at room temperature.

Available through licensed veterinarians.

Made in the USA.

Manufactured for:

Dechra Veterinary Products

7015 College Blvd.,

Overland Park, KS 66211

866.933.2472

www.dechra-us.com

TPW REV09/20

PRINCIPAL DISPLAY PANEL - 118 ml Bottle Label

SHAKE WELL BEFORE USING

NDC 17033-249-04

TrizCHLOR®

Flush

Formulated for dogs and cats

Antimicrobial, antibiofilm

4 fl. oz. (118 ml)

SHAKE WELL BEFORE USING
SHAKE WELL BEFORE USING
SHAKE WELL BEFORE USING

TrizCHLOR[®]

Flush

Formulated for dogs and cats

Antimicrobial, antibiofilm




4 fl. oz. (118 ml)

NDC 17033-249-04

For support of healthy skin for animals with conditions responsive to chlorhexidine.

Active Ingredients: 0.15% Chlorhexidine Gluconate, USP

Also Contains: Water; TrizEDTA[®] (Tromethamine, USP; Disodium EDTA, USP)

Directions for Use: SHAKE WELL BEFORE EACH USE. For use as an ear flush: apply to the ear canal and gently, but firmly, massage the base of the ear. For use on skin: squeeze flush over affected area. Use a cotton ball to remove excess solution.

Repeat as necessary or as directed by your veterinarian. Close cap tightly.

Caution: For topical use only. Avoid contact with eyes. If skin irritation develops or increases, stop use and call your veterinarian. Keep out of the reach of children and pets.

Human Warning: Wash hands after use. Rare but serious allergic reactions have been reported with exposure to chlorhexidine gluconate.

Store at room temperature.

Available through licensed veterinarians.

Made in the USA.

Manufactured for:
Dechra Veterinary Products
7015 College Blvd.,
Overland Park, KS 66211
866.933.2472
www.dechra-us.com





TPW

TRIZCHLOR FLUSH				
chlorhexidine gluconate solution				
Product Information				
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:17033-249	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	15 mg in 1 mL		
Inactive Ingredients				
Ingredient Name	Strength			
WATER (UNII: 059QF0KO0R)				
Tromethamine (UNII: 023C2WHX2V)				
EDETATE DISODIUM (UNII: 7FLD91C86K)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1 NDC:17033-249-04 118 mL in 1 BOTTLE

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED DRUG OTHER		06/01/2016	

Labeler - Dechra Veterinary Products (362142734)

Revised: 3/2021

Dechra Veterinary Products